

## References:

### LIPUS References: BONE

Claes L, Willie B, The enhancement of bone regeneration by ultrasound. *Prog Biophys Mol Biol.* (2007) Jan-Apr;93(1-3):384-98. Epub 2006 Aug 10. Review.

Handolin L, Partio EK, Arnala I, Pajarinen J, Päätiälä H, Rokkanen P. The effect of low-intensity pulsed ultrasound on bone healing in SR-PLLA rod fixed experimental distal femur osteotomy in rat. *J Mater Sci Mater Med.* (2007) Jun;18(6):1239-45. Epub 2007 Feb 3

Jingushi S, Mizuno K, Matsushita T, Itoman M, Low-intensity pulsed ultrasound treatment for postoperative delayed union or nonunion of long bone fractures. *J Orthop Sci.* (2007) Jan;12(1):35-41 Epub 2007 Jan 31

Li J, Waugh LJ, Hui SL, Burr DB, Warden SJ, Low-intensity pulsed ultrasound and nonsteroidal anti-inflammatory drugs have opposing effects during stress fracture repair. *J Orthop Res.* (2007) Jun 25; [Epub ahead of print]

Miłowska K, [Ultrasound--mechanisms of action and application in sonodynamic therapy]. *Postepy Hig Med Dosw (Online).* (2007) Jun 1;61:338-49

O'Brien WD Jr, Ultrasound-biophysics mechanisms. *Prog Biophys Mol Biol.* (2007) Jan-Apr;93(1-3):212-55. Epub 2006 Aug 8

Rutten S, Nolte PA, Guit GL, Bouman DE, Albers GH, Use of low-intensity pulsed ultrasound for posttraumatic nonunions of the tibia: a review of patients treated in the Netherlands. *J Trauma.* (2007) Apr;62(4):902-8

Takayama T, Low-intensity pulsed ultrasound stimulates osteogenic differentiation in ROS 17/2.8 cells. *Life Sci.* (2007) Feb 13;80(10):965-71

Chan CW, et al., Dose-dependent effect of low-intensity pulsed ultrasound on callus formation during rapid distraction osteogenesis. *J Orthop Res.* (2006) Nov;24(11):2072-9

Chan CW, Qin L, Lee KM, et al., Low intensity pulsed ultrasound accelerated bone remodeling during consolidation stage of distraction osteogenesis. *J Orthop Res.* (2006), 14, pp. 263-270

Erdogan O, et al., Effects of low-intensity pulsed ultrasound on healing of mandibular fractures: an experimental study in rabbits. *J Oral Maxillofac Surg.* (2006) Feb;64 (2):180-188

Gleizal A, Li S, Pialat JB, Beziat JL, Transcriptional expression of calvarial bone after treatment with low-intensity ultrasound: an in vitro study. *Ultrasound Med Biol.* (2006) Oct;32(10):1569-74

Jones CP, Coughlin MJ, Shurnas PS, Prospective CT scan evaluation of hindfoot nonunions treated with revision surgery and low-intensity ultrasound stimulation. *Foot Ankle Int.* 2006 Apr;27(4):229-35

Lirani-Galvao AP, Jorgetti V, da Silva OL, Comparative study of how low-level laser therapy and low-intensity pulsed ultrasound affect bone repair in rats. *Photomed Laser Surg.* (2006) Dec;24(6):735-40

Luthje P, Nurmi-Luthje I, Non-union of the clavicle and delayed union of the proximal fifth metatarsal treated with low-intensity pulsed ultrasound in two soccer players. *J Sports Med Phys Fitness.* (2006) Sep;46(3):476-80

Malizos KN, et al., Low-intensity pulsed ultrasound for bone healing: an overview. *Injury.* (2006) Apr;37 Suppl 1:S56-62. Epub 2006 Apr 3. Review.

Malizos KN, et al., Transosseous application of low-intensity ultrasound for the enhancement and monitoring of fracture healing process in a sheep osteotomy model. *Bone.* (2006) Apr;38(4):530-9. Epub 2005 Dec 20

Warden SJ, Fuchs RK, Kessler CK, Avin KG, Cardinal RE, Stewart RL, Ultrasound produced by a conventional therapeutic ultrasound unit accelerates fracture repair. *Phys Ther.* (2006) Aug;86(8):1118-27

Claes L, Rüter A, Mayr E, Low-intensity ultrasound enhances maturation of callus after segmental transport. *Clin Orthop Relat Res.* (2005) Jan;(430):189-94

Dudda M, Pommer A, Muhr G, Esenwein SA, [Application of low intensity, pulsed ultrasound on distraction osteogenesis of the humerus. Case report] *Unfallchirurg.* (2005) Jan;108(1):69-74

El-Mowafi H, Mohsen M., The effect of low-intensity pulsed ultrasound on callus maturation in tibial distraction osteogenesis. *Int Orthop.* (2005) 29 pp. 121-124

Gebauer D, Correll J, Pulsed low-intensity ultrasound: a new salvage procedure for delayed unions and nonunions after leg lengthening in children. *J Pediatr Orthop.* (2005) Nov-Dec;25(6):750-4

Gebauer D, Mayr E, Orthner E, Rayby JP, Low-intensity pulsed ultrasound: effects on nonunions. *Ultrasound Med Biol.* (2005) Oct;31(10):1391-402

Gold SM, Wasserman R, Preliminary results of tibial bone transports with pulsed low intensity ultrasound (Exogen). *J Orthop Trauma.* (2005) Jan;19(1):10-6

Harle J, Mayia F, Olsen I, Salih V, Effects of ultrasound on transforming growth factor-beta genes in bone cells. *Eur Cell Mater.* (2005) Dec 5;10:70-6; discussion 76

Mukai S, Ito H, Nakagawa Y, Akiyama H, Miyamoto M, Nakamura T, Transforming growth factor-beta1 mediates the effects of low-intensity pulsed ultrasound in chondrocytes. *Ultrasound Med Biol.* (2005) Dec;31(12):1713-21.

Parvizi J, Vegari D, Pulsed low-intensity ultrasound for fracture healing. *Foot Ankle Clin.* (2005) Dec;10(4):595-608, vii.

Stein H, Lerner A, How does pulsed low-intensity ultrasound enhance fracture healing? *Orthopedics.* (2005) Oct;28(10):1161-3. Review.

Dalecki D, Mechanical bioeffects of ultrasound. *Annu Rev Biomed Eng.* (2004);6:229-48

Esenwein SA, Dudda M, et al., [Efficiency of low-intensity pulsed ultrasound on distraction osteogenesis in case of delayed callotaxis -- clinical results] *Zentralbl Chir.* (2004) Oct;129(5):413-20

Fini M, et al., Current trends in the enhancement of biomaterial osteointegration: biophysical stimulation. *Int J Artif Organs.* (2004) Aug;27(8):681-90. Review.

Fujioka H, et al., Ultrasound treatment of nonunion of the hook of the hamate in sports activities. *Knee Surg Sports Traumatol Arthrosc.* (2004) Mar;12(2):162-4.  
Epub 2003 Sep 20

Giannini S, et al., Low-intensity pulsed ultrasound in the treatment of traumatic hand fracture in an elite athlete. *Am J Phys Med Rehabil.* (2004) Dec;83(12):921-5

Hantes ME, Mavrodontidis AN, Zalavras CG, Karantanas AH, Karachalios T, Malizos KN, Low-intensity transosseous ultrasound accelerates osteotomy healing in a sheep fracture model. *J Bone Joint Surg Am.* (2004) Oct;86-A(10):2275-82

Lerner A, Stein H, Soudry M, Compound high-energy limb fractures with delayed union: our experience with adjuvant ultrasound stimulation (exogen). *Ultrasonics.* (2004) Apr;42(1-9):915-7

Leung KS, et al., Low intensity pulsed ultrasound stimulates osteogenic activity of human periosteal cells. *Clin Orthop Relat Res.* (2004) Jan;(418):253-9

Leung KS, Lee WS, Tsui HF, et al., Complex tibial fracture outcomes following treatment with low-intensity pulsed ultrasound. *Ultrasound Med Biol* 30 (2004), pp. 389-395

- Pigozzi F, et al., Low-intensity pulsed ultrasound in the conservative treatment of pseudoarthrosis. *J Sports Med Phys Fitness*. (2004) Jun;44(2):173-8
- Sakurakichi K, et al., Effects of timing of low-intensity pulsed ultrasound on distraction osteogenesis. *J Orthop Res*. (2004) Mar;22(2):395-403
- Tsumaki N, et al., Low-intensity pulsed ultrasound accelerates maturation of callus in patients treated with opening-wedge high tibial osteotomy by hemicallotaxis. *J Bone Joint Surg Am*. (2004) Nov;86-A(11):2399-405
- Anglen, J, The clinical use of bone stimulators. *J South Orthop Assoc*. (2003) 12(2): 46-54.
- Mohtadi N, Low-intensity pulsed ultrasound therapy for fracture healing: a meta-analysis. *Clin J Sport Med*. (2003) Mar;13(2):127
- Naruse K, et al., Distinct anabolic response of osteoblast to low-intensity pulsed ultrasound. *J Bone Miner Res*. (2003) Feb;18(2):360-9
- Okada K, et al., Congenital pseudoarthrosis of the tibia treated with low-intensity pulsed ultrasound stimulation (LIPUS). *Ultrasound Med Biol*. (2003) Jul;29(7):1061-4
- Rawool, N. M., B. B. Goldberg, et al., Power Doppler assessment of vascular changes during fracture treatment with low-intensity ultrasound. *J Ultrasound Med*. (2003) 22(2): 145-53.
- Warden SJ, A new direction for ultrasound therapy in sports medicine. *Sports Med*. (2003);33(2):95-107
- Aynaci O, et al., The effect of ultrasound on the healing of muscle-pediculated bone graft in spinal fusion. *Spine*. (2002) Jul 15;27(14):1531-5.
- Busse JW, Bhandari M, Kulkarni AV and Tunks E, The effect of low-intensity pulsed ultrasound therapy on time to fracture healing: A meta-analysis, *CMAJ* 166 (2002), pp. 437-441
- Chang, W. H., J. S. Sun, et al., Study of thermal effects of ultrasound stimulation on fracture healing. *Bioelectromagnetics*. (2002) 23(4): 256-63
- El-Bialy TH, Royston TJ, Magin RL, Evans CA, Zaki Ael M and Frizzell LA, The effect of pulsed ultrasound on mandibular distraction, *Ann Biomed Eng* (2002) 30 pp. 1251-1261
- Frankel VH, Mizuho K, Management of non-union with pulsed low-intensity ultrasound therapy--international results. *Surg Technol Int*. (2002) Sep;10:195-200. Review.

Gebauer GP, Lin SS, Beam HA, Vieira P and Parsons JR, Low-intensity pulsed ultrasound increases the fracture callus strength in diabetic BB Wistar rats but does not affect cellular proliferation, *J Orthop Res* (2002) 20 pp. 587–592

Handolin L, et al., The effects of low-intensity pulsed ultrasound on bioabsorbable self-reinforced poly L-lactide screws. *Biomaterials*. (2002) Jul;23(13):2733-6

Heybeli N, et al., Diagnostic ultrasound treatment increases the bone fracture-healing rate in an internally fixed rat femoral osteotomy model. *J Ultrasound Med*. (2002) Dec;21(12):1327-33

Machen MS, et al., The effect of low intensity pulsed ultrasound on regenerate bone in a less-than-rigid biomechanical environment. *Biomed Mater Eng*. (2002);12(3):239-47

Mayr E, et al., [Is low intensity ultrasound effective in treatment of disorders of fracture healing?] *Unfallchirurg*. (2002) Feb;105(2):108-15

Tis JE, et al., The effect of low intensity pulsed ultrasound applied to rabbit tibiae during the consolidation phase of distraction osteogenesis. *J Orthop Res*. (2002) Jul;20(4):793-800

Azuma Y, et al., Low-intensity pulsed ultrasound accelerates rat femoral fracture healing by acting on the various cellular reactions in the fracture callus. *J Bone Miner Res*. (2001) Apr;16(4):671-80

Cook SD, Salkeld SL, Patron LP, Ryaby JP and Whitecloud TS, Low-intensity pulsed ultrasound improves spinal fusion, *Spine J* (2001) 1 pp. 246–254

Harle J, et al., Effects of ultrasound on the growth and function of bone and periodontal ligament cells in vitro. *Ultrasound Med Biol*. (2001) Apr;27(4):579-86

Harle J, et al., Effects of therapeutic ultrasound on osteoblast gene expression. *J Mater Sci Mater Med*. (2001) Oct-Dec;12(10-12):1001-4

Mayr E, Laule A, Suger G, et al., Radiographic results of callus distraction aided by pulsed low-intensity ultrasound. *J Orthop Trauma* (2001) 15(6) pp. 407-414

Nolte PA, et al., Low-intensity ultrasound stimulates endochondral ossification in vitro. *J Orthop Res*. (2001) Mar;19(2):301-7

Nolte PA, van der Krans A, Patka P, Janssen IM, Rayby JP, Albers GH, Low-intensity pulsed ultrasound in the treatment of nonunions. *J Trauma* (2001) Oct;51(4):693-702; discussion 702-3

- Rubin C, Bolander M, Ryaby JP and Hadjiargyrou M, The use of low-intensity ultrasound to accelerate the healing of fractures, *J Bone Joint Surg Am* (2001) 83 pp. 259–270
- Sun J, Hong R, Chang W, Chen L and Lin F, In vitro effects of low-intensity ultrasound stimulation on the bone cells, *J Biomed Mater Res.* (2001) 57 pp. 449–456
- Takikawa S, et al., Low-intensity pulsed ultrasound initiates bone healing in rat nonunion fracture model. *J Ultrasound Med.* (2001) Mar; 20(3):197-205
- Warden SJ, Favaloro JM, et al., Low-intensity pulsed ultrasound stimulates a bone-forming response in UMR-106 cells. *Biochem Biophys Res Commun.* (2001) Aug 24;286(3):443-50
- Yang KH and Park SJ, Stimulation of fracture healing in a canine ulna full-defect model by low-intensity pulsed ultrasound, *Yonsei Med J.* (2001) 42 pp. 503–508
- Fujioka H, et al., Treatment of ununited fracture of the hook of hamate by low-intensity pulsed ultrasound: a case report. *J Hand Surg [Am].* (2000) Jan;25(1):77-9
- Mayr E, Frankel V, Ruter A, Ultrasound--an alternative healing method for nonunions? *Arch Orthop Trauma Surg.* (2000), 120(1-2):1-8
- Shimazaki A, Inui K, Azuma Y, et al., Low-intensity pulsed ultrasound accelerates bone maturation in distraction osteogenesis in rabbits. *J Bone Joint Surg Br.* (2000) 82 pp. 1077-1082
- Warden SJ, et al., Acceleration of fresh fracture repair using the sonic accelerated fracture healing system (SAFHS): a review. *Calcif Tissue Int.* (2000) Feb;66(2):157-63
- Sun JS, Tsuang YH, Lin FH, et al., Bone defect healing enhanced by ultrasound stimulation: an in vitro tissue culture model. *J Biomed Materials Res.* (1999) 46(2) pp. 253-261
- Hadjiargyrou M, McLeod K, Ryaby JP, Rubin C, Enhancement of fracture healing by low intensity ultrasound. *Clin Orthop Relat Res.* (1998) Oct;(355 Suppl):S216-29
- Cook SD, Ryaby JP, McCabe J, Frey JJ, Heckman JD and Kristiansen TK, Acceleration of tibia and distal radius fracture healing in patients who smoke, *Clin Orthop.* (1997), pp. 198–207
- Kristiansen TK, Ryaby JP, McCabe J, Frey JJ and Roe LR, Accelerated healing of distal radial fractures with the use of specific, low-intensity ultrasound: A multicenter, prospective, randomized, double-blind, placebo-controlled study, *J Bone Joint Surg Am.* (1997) 79 pp. 961–973

Reher P, et al., The stimulation of bone formation in vitro by therapeutic ultrasound. *Ultrasound Med Biol.* (1997);23(8):1251-8

Yang KH, Parvizi J, Wang SJ, et al., Exposure to low-intensity ultrasound increases aggrecan gene expression in a rat femur fracture model. *J Orthop Res.* (1996) 14 pp. 802-809

Heckman JD, Ryaby JP, McCabe J, et al., Acceleration of tibial fracture-healing by non-invasive, low-intensity pulsed ultrasound. *J Bone Joint Surg Am.* (1994) 76 pp. 26-34

Wang SJ, Lewallen DG and Bolander M, Low intensity ultrasound treatment increases strength in a rat femoral fracture model, *J Orthop Res.* (1994) 12 pp. 40-47

Tsai CL, Chang WH, Liu TK, Preliminary studies of duration and intensity of ultrasonic treatments on fracture repair. *Chin J Physiol.* (1992);35(1):21-6

Tsai CL, Chang WH, Liu TK, Song GM, Ultrasonic effect on fracture repair and prostaglandin E2 production. *Chin J Physiol.* (1992);35(1):27-34

Tsai CL, Chang WH, Liu TK, Song GM, Ultrasound can affect bone healing both locally and systemically. *Chin J Physiol.* (1991);34(2):213-22

Pilla AA, Mont MA, Nasser PR, et al., Non-invasive low-intensity pulsed ultrasound accelerates bone healing in the rabbit. *J Orthop Trauma.* (1990) 4 pp. 246-253

Duarte LR, The stimulation of bone growth by ultrasound, *Arch Orthop Trauma Surg.* (1983) 101 pp. 153-159

## LIPUS References: Soft Tissue

Byuong-Hyun Min, et al., Low Intensity Ultrasound as a Supporter of Cartilage Regeneration and Its Engineering. *Biotechnology and Bioprocess Engineering* (2007), 12: 22-31

Lee HJ, Choi BH, Min BH, Park SR, Low-intensity ultrasound inhibits apoptosis and enhances viability of human mesenchymal stem cells in three-dimensional alginate culture during chondrogenic differentiation. *Tissue Eng.* (2007) May;13(5):1049-57

- Miłowska K, [Ultrasound--mechanisms of action and application in sonodynamic therapy] *Postepy Hig Med Dosw (Online)*. (2007) Jun 1;61:338-49
- Noriega S., et al., Intermittent Applications of Continuous Ultrasound on the Viability, Proliferation, Morphology, and Matrix Production of Chondrocytes in 3D Matrices. *Tissue Eng.* (2007) Mar;13(3):611-8
- O'Brien WD Jr., Ultrasound-biophysics mechanisms. *Prog Biophys Mol Biol.* (2007) Jan-Apr;93(1-3):212-55. Epub 2006 Aug 8
- Walsh WR, Stephens P, Vizesi F, Bruce W, Huckle J, Yu Y, Effects of low-intensity pulsed ultrasound on tendon-bone healing in an intra-articular sheep knee model. *Arthroscopy.* (2007) Feb;23(2):197-204
- Choi BH, Woo JI, Min BH, Park SR, Low-intensity ultrasound stimulates the viability and matrix gene expression of human articular chondrocytes in alginate bead culture. *J Biomed Mater Res A.* (2006) Dec 15;79(4):858-64
- Ikeda K, et al., Effects of low-intensity pulsed ultrasound on the differentiation of C2C12 cells. *Life Sci.* (2006) Oct 12;79(20):1936-43. Epub 2006 Jun 23
- Iwashina T, et al., Low-intensity pulsed ultrasound stimulates cell proliferation and proteoglycan production in rabbit intervertebral disc cells cultured in alginate. *Biomaterials.* (2006) Jan;27(3):354-61
- Lee HJ, et al., Low-intensity ultrasound stimulation enhances chondrogenic differentiation in alginate culture of mesenchymal stem cells. *Artif Organs.* (2006) Sep;30(9):707-15
- Leung MC, Ng GY, Yipp KK, Therapeutic ultrasound enhances medial collateral ligament repair in rats. *Ultrasound Med Biol.* (2006) Mar;32(3):449-52
- Lu H, et al., Low-intensity pulsed ultrasound accelerates bone-tendon junction healing: a partial patellectomy model in rabbits. *Am J Sports Med.* (2006) Aug;34(8):1287-96
- Qin L, et al., Low intensity pulsed ultrasound increases the matrix hardness of the healing tissues at bone-tendon insertion-a partial patellectomy model in rabbits. *Clin Biomech (Bristol, Avon)*. (2006) May;21(4):387-94
- Qin L, et al., Low-intensity pulsed ultrasound accelerates osteogenesis at bone-tendon healing junction. *Ultrasound Med Biol.* (2006) Dec;32(12):1905-11
- Schumann D, et al., Treatment of human mesenchymal stem cells with pulsed low intensity ultrasound enhances the chondrogenic phenotype in vitro. *Biorheology.* (2006) 43(3-4):431-43.

Yeung CK, Guo X, Ng YF, Pulsed ultrasound treatment accelerates the repair of Achilles tendon rupture in rats. *J Orthop Res.* (2006) Feb;24(2):193-201

Warden S.J., et al., Low-intensity pulsed ultrasound accelerates and a nonsteroidal anti-inflammatory drug delays knee ligament healing. *Am J Sports Med.* (2006) Jul;34(7):1094-102

Chang CJ, Hsu SH, Lin FT, Chang H, Chang CS, Low-intensity-ultrasound-accelerated nerve regeneration using cell-seeded poly(D,L-lactic acid-co-glycolic acid) conduits: an in vivo and in vitro study. *J Biomed Mater Res B Appl Biomater.* (2005) Oct;75(1):99-107

Iwabuchi S, et al., In vitro evaluation of low-intensity pulsed ultrasound in herniated disc resorption. *Biomaterials.* (2005) Dec;26(34):7104-14

Jia XL, et al., Effects of low-intensity pulsed ultrasound in repairing injured articular cartilage. *Chin J Traumatol.* (2005) Jun;8(3):175-8

Miyamoto K, et al., Exposure to pulsed low intensity ultrasound stimulates extracellular matrix metabolism of bovine intervertebral disc cells cultured in alginate beads. *Spine.* (2005) Nov 1;30(21):2398-405

Mukai S, et al., Transforming growth factor-beta1 mediates the effects of low-intensity pulsed ultrasound in chondrocytes. *Ultrasound Med Biol.* (2005) Dec;31(12):1713-21

Sena K, et al., Early gene response to low-intensity pulsed ultrasound in rat osteoblastic cells. *Ultrasound Med Biol.* (2005) May;31(5):703-8

Sparrow KJ, et al., The effects of low-intensity ultrasound on medial collateral ligament healing in the rabbit model. *Am J Sports Med.* (2005) Jul;33(7):1048-56

Dalecki D, Mechanical bioeffects of ultrasound. *Annu Rev Biomed Eng.* (2004);6:229-48

Korstjens CM, et al., Stimulation of bone cell differentiation by low-intensity ultrasound-a histomorphometric in vitro study. *J Orthop Res.* (2004) May;22(3):495-500

Saito M, Soshi S, Tanaka T, Fujii K, Intensity-related differences in collagen post-translational modification in MC3T3-E1 osteoblasts after exposure to low- and high-intensity pulsed ultrasound. *Bone.* (2004) Sep;35(3):644-55

Saito M, Fujii K, Tanaka T, Soshi S, Effect of low- and high-intensity pulsed ultrasound on collagen post-translational modifications in MC3T3-E1 osteoblasts. *Calcif Tissue Int.* (2004) Nov;75(5):384-95. Epub 2004 Jul 13

Zhou S, et al., Molecular mechanisms of low intensity pulsed ultrasound in human skin fibroblasts. *J Biol Chem.* (2004) Dec 24;279(52):54463-9

- Vicenti FA, et al., Effects of low-intensity pulsed ultrasound on wound healing in corneas of dogs following keratoplasty. *Vet Ophthalmol.* (2003) Sep;6(3):255-63
- Zhang ZJ, Huckle J, Francomano CA, Spencer RG, The effects of pulsed low-intensity ultrasound on chondrocyte viability, proliferation, gene expression and matrix production. *Ultrasound Med Biol.* (2003) Nov;29(11):1645-51
- Crisci AR, Ferreira AL, Low-intensity pulsed ultrasound accelerates the regeneration of the sciatic nerve after neurotomy in rats. *Ultrasound Med Biol.* (2002) Oct;28(10):1335-41
- Johns LD, Nonthermal Effects of Therapeutic Ultrasound: The Frequency Resonance Hypothesis. *J Athl Train.* (2002) Jul;37(3):293-299
- Nishikori T, et al., Effects of low-intensity pulsed ultrasound on proliferation and chondroitin sulfate synthesis of cultured chondrocytes embedded in Atelocollagen gel. *J Biomed Mater Res.* (2002) Feb;59(2):201-6.
- Takakura Y. and Matsui N., Low-intensity pulsed ultrasound enhances early healing of medial collateral ligament injuries in rats, *J Ultrasound Med.* (2002) 21 pp. 283–288
- Zhang ZJ, et al., The influence of pulsed low-intensity ultrasound on matrix production of chondrocytes at different stages of differentiation: an explant study. *Ultrasound Med Biol.* (2002) Nov-Dec;28(11-12):1547-53
- Cook SD, et al., Improved cartilage repair after treatment with low-intensity pulsed ultrasound. *Clin Orthop Relat Res.* (2001) Oct;(391 Suppl):S231-43
- Naruse K, et al., Anabolic response of mouse bone-marrow-derived stromal cell clone ST2 cells to low-intensity pulsed ultrasound. *Biochem Biophys Res Commun.* (2000) Feb 5;268(1):216-20
- Doan N., Reher P., Meghji S. and Harris M., In vitro effects of therapeutic ultrasound on cell proliferation, protein synthesis, and cytokine production by human fibroblasts, osteoblasts, and monocytes, *J Oral Maxillofac Surg.* (1999) 57 pp. 409–419
- Kokubu T, et al., Low intensity pulsed ultrasound exposure increases prostaglandin E2 production via the induction of cyclooxygenase-2 mRNA in mouse osteoblasts. *Biochem Biophys Res Commun.* (1999) Mar 16;256(2):284-7
- Parvizi J, Wu CC, Lewallen DG, et al., Low-intensity ultrasound stimulates proteoglycan synthesis rat chondrocytes by increasing aggrecan gene expression. *J Orthop Res.* (1999) 17: 488-494
- Wiltink A, et al., Effect of therapeutic ultrasound on endochondral ossification. *Ultrasound Med Biol.* (1995);21(1):121-7

Rogers G.J., Milthorpe B.K., Muratore A. and Schindhelm K., Measurement of the mechanical properties of the ovine anterior cruciate ligament bone–ligament–bone complex: A basis for prosthetic evaluation, *Biomaterials*. (1990) 11 pp. 89–96